



*Trusted Since 1860*



# FULLER BATTERY ±

**Commercial Range**



# Features & Benefits



## Vibration Resistant

These batteries are designed for the toughest of roads, in the most demanding conditions for all kinds of commercial vehicles

## Commercial Design

Bigger vehicles need bigger batteries, the Fuller Commercial range is specifically designed for heavy duty commercial vehicles.

## Longer Life

Batteries designed to last over long periods of time, ensuring your peace of mind.

## Power when you need it

High-quality & high-power, no matter where, no matter when.

**FULLER**  
**BATTERY**   
Trusted Since 1860



## Lead Acid

Up to 150 cycles, designed for standard power demands with resistance against vibration.

## AGM

1000+ Cycles, depth of discharge resistance up to 80%. Leakproof and maintenance free design with the highest vibration resistance. Offers the highest cold start performance.

## EFB

Up to 750 cycles, higher charge acceptance for faster charging. Suitable for high power demands with extreme vibration resistance. Optimised for stop start driving.

**FULLER**  
**BATTERY** ±  
Trusted Since 1860



# Range Overview

Part No.	Voltage (V)	Capacity (Ah)	CCA	Weight (kg)	Length (mm)	Width (mm)	Height (mm)	Layout	Terminal	Hold Down
640	12	100	900	24	330	173	240	9	T1	N
663	12	105	735	25.5	346	173	234	0	T1	N
664	12	105	730	25.5	346	173	234	1	T1	N
665	12	105	735	25.5	346	173	234	0	T1	B1
643	12	96	620	26	347	174	235	0	T1	N
644	12	96	620	26	347	174	235	1	T1	N
655	12	125	720	34	347	174	285	0	T1	N
656	12	125	720	34	347	174	285	1	T1	N
616	12	110	650	29.6	407	176	234	0	T1	N
618	12	110	650	29.6	407	176	234	1	T1	N
638	12	140	1050	36.5	508	175	205	0	T1	B1
622	12	135	880	39.2	510	216	210	3	T1	N
627	12	140	825	36.5	513	189	223	3	T1	N
623	12	180	1150	45.3	513	222	215	4	T1	N
629	12	180	950	45.3	513	222	215	3	T1	N
632	12	220	1200	57	513	274	242	3	T1	N
630	12	143	900	36.5	513	189	223	3	T1	B3
624	12	210	1050	55	513	274	242	4	T1	N
620	12	180	1150	44.9	513	223	223	3	T1	B3
626	12	160	1000	44.9	513	223	223	4	T1	B3
615	12	135	910	32.5	514	175	210	3	T1	B3
625	12	210	1050	56.4	516	274	236	3	T1	N






# Specifications


## Terminal Layouts



## Terminal Types



## Hold Downs





**FULLER**  
**BATTERY** 

*Trusted Since 1860*

[www.fullerbattery.co.uk](http://www.fullerbattery.co.uk)